

Identification of Substance & Company

Product

Product name Sinto ST-FF Part B **HSNO** approval HSR002658

Surface Coatings and Colourants (Corrosive) Group Standard 2017 Approval description

UN number **DG class**

Proper Shipping Name AMINES, SOLID, CORROSIVE, N.O.S. (contains Benzene-1,3-

Dimethylamine)

Packaging group Ш Hazchem code

Uses Bi-component injection system for chemical anchor on construction

materials.

Company Details

Company **Constructive Brands Physical Address** 2 Kingsland Ave, Kingsland,

Auckland 1021 New Zealand (09) 283 0329

Website www.constructivebrands.co.nz

Emergency Telephone Number: 0800 764 766

Hazard Identification

Approval

Telephone

This product has been approved under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR002658, Surface Coatings and Colourants (Corrosive) Group Standard 2017), and is classified as follows:

Hazard Statements Classes

6.1D (inhalation) H332 - Harmful if inhaled. H302 - Harmful if swallowed. 6.1D (oral)

6.1E (dermal) H313 - May be harmful in contact with skin. 8.2C H314 - Causes severe skin burns and eye damage.

8.3A H318 - Causes serious eye damage. 6.5B H317 - May cause an allergic skin reaction.

9.1C H412 - Harmful to aquatic life with long lasting effects.

SYMBOLS

DANGER



Other Classifications

There are no other classifications that are known to apply.

Precautionary Statements

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P103 - Read label before use.

P260 - Do not breathe vapours.

P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/eye protection/face protection.



P304+P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

P312 - Call a POISON CENTRE or doctor/physician if you feel unwell.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P330 - Rinse mouth.

P312 - Call a POISON CENTRE or doctor/physician if you feel unwell.

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P363 - Wash contaminated clothing before reuse.

P310 - Immediately call a POISON CENTRE or doctor/physician.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE or doctor/physician.

P405 - Store locked up

3. Composition / Information on Ingredients

Component	CAS/ Identification	Conc (%)
Benzene-1,3-Dimethylamine (MXDA)	1477-55-0	10-25%
2,4,6-Tris(dimethylaminomethyl)phenol	90-72-2	5-11%
Benzyl alcohol	100-51-6	1-5%

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

4. First Aid

General Information

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed, burned or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service).

Recommended first aid

Ready access to running water is required. Accessible eyewash is required.

facilities Exposure

Swallowed IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Rinse mouth. Call a POISON

CENTRE or doctor/physician if you feel unwell.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON CENTRE or

doctor/physician.

Skin contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse

skin with water/shower. Wash contaminated clothing before reuse. Immediately call a

POISON CENTRE or doctor/physician.

Inhaled IF INHALED: Remove to fresh air and keep at rest in a position comfortable for

breathing. Call a POISON CENTRE or doctor/physician if you feel unwell.

Advice to Doctor
Treat symptomatically

5. Firefighting Measures

Fire and explosion hazards: This product is a combustible liquid. This product has the potential to cause fire or to

create an additional hazard during fire

Suitable extinguishing

Protective equipment:

substances:

Carbon dioxide, extinguishing powder, foam, fog sprays.

Unsuitable extinguishing Un

substances:

Unknown.

Products of combustion: Carbon dioxide, and if combustion is

Carbon dioxide, and if combustion is incomplete, carbon monoxide, nitrogen oxides and smoke. Water. May form toxic mixtures in air and may accumulate in sumps, pits and

other low-lying spaces, forming potentially explosive mixtures.

Self-contained breathing apparatus. Safety boots, non-flammable overalls, gloves, hat

and eye protection.

Hazchem code: 2X

6. Accidental Release Measures

Containment If greater than 1000L is stored, secondary containment and emergency plans to manage

any potential spills must be in place. In all cases design storage to prevent discharge to

Page 2 of 6 February 2018

Product Name: Sinto ST-EE Part B



Sinto ST-EE Part B

Safety Data Sheet

storm water.

Emergency procedures In the event of spillage alert the fire brigade to location and give brief description of

hazard. Stop the source of the leak, if safe to do so. Shut off all possible sources of ignition. Wear protective equipment to prevent skin, eye and respiratory exposure. Clear area of any unprotected personnel. Contain using sand, earth or vermiculite. Do not use sawdust. Prevent by whatever means possible any spillage from entering drains, sewers,

or water courses. (If this occurs contact your regional council immediately).

clean-up of spills, as they may create fire or environmental hazard. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or

waterways has occurred advise local emergency services.

Disposal Mop up and collect recoverable material into labelled containers for recycling or salvage.

Recycle containers wherever possible. This material may be suitable for approved

landfill. Dispose of only in accord with all regulations.

PrecautionsWear protective equipment to prevent skin and eye contamination and the inhalation of

vapours. Work up wind or increase ventilation.

7. Storage & Handling

Storage Avoid storage of harmful substances with food. Store out of reach of children.

Containers should be kept closed in order to minimise contamination. Keep from extreme heat and open flames. Avoid contact with incompatible substances as listed in

Section 10.

Handling Keep exposure to a minimum, and minimise the quantities kept in work areas. See

section 8 with regard to personal protective equipment requirements. Avoid skin and eye

contact and inhalation of vapour, mist or aerosols.

8. Exposure Controls / Personal Protective Equipment

Workplace Exposure Standards

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m³ for respirable particulates and 10mg/m³ for inhalable particulates when limits have not otherwise been established.

NZ Workplace Exposure Stds

(2016)

Benzene-1,3-Dimethylamine (MXDA)

WES-TWA* Ceiling: 0.1 mg/m³ WES-STEL

Product Name: Sinto ST-FF Part B

data unavailable

* These workplace exposure standards are also Prescribed Exposure Standards (PES) under the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016.

Engineering Controls

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

Personal Protective Equipment

Eyes



Protect eyes with goggles, safety glasses or full face mask. Avoid wearing contact lenses.

Skin



Avoid repeated or prolonged skin contact. Wear overalls, rubber boots and impervious gloves. Impervious gloves, e.g. nitrile or rubber gloves are recommended. Replace frequently. Gloves should be checked for tears or holes before use. Remove protective clothing and wash exposed areas with soap and water prior to eating, drinking or smoking.

Respiratory

A respirator when airborne concentrations approach the WES (section 8). Use a full face respirator with an organic vapour cartridge. If using a respirator, ensure that the cartridges are correct for the potential air contamination and are in good working order.

WES Additional Information

Not applicable



9. Physical & Chemical Properties

Appearanceblack pasteOdouramine like odour

pH no data
Vapour pressure no data
Viscosity no data
Boiling point no data
Volatile materials no data
Freezing / melting point no data

Solubility immiscible in water

Specific gravity / density

Flash point

Danger of explosion

Auto-ignition temperature

Upper & lower flammable limits

Corrosiveness

1.40-1.60

no data

no data

Corrosive

10. Stability & Reactivity

Stability Stable

Conditions to be avoided Containers should be kept closed in order to avoid contamination. Keep from extreme

heat and open flames.

Incompatible groups strong acids, strong bases, strong oxidising agents

Substance Specific none known

Incompatibility

Hazardous decomposition

products

Oxides of carbon and nitrogen.

Hazardous reactions none known

11. Toxicological Information

Summary

IF SWALLOWED: may cause burns to the mouth and throat and mucous membranes

IF IN SKIN: may cause burns to the skin. Some sensitised individuals may experience allergic skin reactions.

IF IN EYES: may cause permanent eye damage.

IF INHALED: vapours may be irritating to the respiratory tract.

Supporting Data

Acute Oral Using LD₅₀'s for ingredients, the calculated LD₅₀ (oral, rat) for the mixture is between 300

and 2000 mg/kg. Data considered includes: Benzene-1,3-Dimethylamine (MXDA) 930mg/kg (rat), 2,4,6-tris(dimethylaminomethyl)phenol 1673mg/kg (rat), Benzyl alcohol

1040 mg/kg bw (rabbit).

Dermal Using LD₅₀'s for ingredients, the calculated LD₅₀ (dermal, rat) for the mixture is between

2000 and 5000 mg/kg. Data considered includes: Benzene-1,3-Dimethylamine (MXDA) 2000mg/kg (rabbito, 2,4,6-tris(dimethylaminomethyl)phenol 1280mg/kg (rat), Benzyl

alcohol 2000 mg/kg bw (rabbit).

Inhaled Using LC₅₀'s for ingredients, the calculated LC₅₀ (inhalation, rat) for the mixture is

between 1 and 5mg/L. Data considered includes: Benzene-1,3-Dimethylamine (MXDA)

Product Name: Sinto ST-FF Part B

700ppm (1hr, rat) = \sim 0.97mg/L (for dust mist, 4hr).

Eye The mixture is considered to be corrosive to the eye, because MXDA present at >3% is

considered an eye corrosive.

Skin The mixture is considered to be corrosive to the skin, because MXDA present at >5% is

considered a skin corrosive.

Chronic Sensitisation The mixture is considered to be a contact sensitizer, because benzyl alcohol and MXDA

are known to be contact sensitizers.

MutagenicityNo ingredient present at concentrations > 0.1% is considered a mutagen.CarcinogenicityNo ingredient present at concentrations > 0.1% is considered a carcinogen.Reproductive /No ingredient present at concentrations > 0.1% is considered a reproductive or

Developmental developmental toxicant or have any effects on or via lactation.

Systemic No ingredient present at concentrations > 1% is considered a target organ toxicant.

Aggravation of None known.

existing conditions



12. Ecological Data

Summary

This mixture is considered harmful towards aquatic organisms with long lasting effects.

Supporting Data

Aquatic Using EC₅₀'s for ingredients, the calculated EC₅₀ for the mixture is between 10 mg/L and

100 mg/L. Data considered includes: Benzene-1,3-Dimethylamine (MXDA) >100mg/l (96hr, Oncorhynchus mykiss, rainbow trout), 16mg/L (48hr, Daphnia magna), Benzyl alcohol 10 mg/l (96hr, Lepomis macrochirus), 55 mg/L (24hr, Daphnia magna).

Bioaccumulation No data
Degradability No data

Soil This mixture is not considered toxic in the soil environment.

Terrestrial vertebrate This mixture is not considered toxic towards terrestrial vertebrates.

Terrestrial invertebrate No evidence of toxicity towards terrestrial invertebrates

Biocidal no data

Environmental effect levels No EELs are available for this mixture or ingredients

13. Disposal Considerations

Restrictions There are no product-specific restrictions, however, local council and resource consent

conditions may apply, including requirements of trade waste consents.

Disposal method

Disposal of this product must comply with the Hazardous Substances (Disposal) Notice

2017 and the requirements of the Resource Management Act for which approval should be sought from the Regional Authority. The substance must be treated and therefore

rendered non-hazardous before discharge to the environment.

Contaminated packaging Disposal of contaminated packaging must comply with the Hazardous Substances

(Disposal) Notice 2017 clause 12. Ensure that the package is renedered incapable of containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible

reuse or recycle packaging.

14. Transport Information

Transport according to NZS 5433 (Transport of Hazardous Substances on Land). Considered a dangerous good for

transport.

UN number: 3259 **Proper shipping name:** AMINES, SOLID, CORROSIVE, N.O.S.

(contains Benzene-1,3-Dimethylamine)

Product Name: Sinto ST-FF Part B

Class(es) 8 Packing group: III
Precautions: Corrosive Hazchem code: 2X

15. Regulatory Information

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR002658, Surface Coatings and Colourants (Corrosive) Group Standard 2017.

Specific Controls

Key workplace requirements are:

SDS To be available within 10 minutes in workplaces storing > any quantity.

Inventory An inventory of all hazardous substances must be prepared and maintained.

Packaging All hazardous substances should be appropriately packaged including substances

that have been decanted, transferred or manufactured for own use or have been

supplied

Labelling Must comply with the Hazardous Substances (Labelling) Notice 2017.

Emergency plan Required if > 1000L is stored.

Certified handler Not required. Tracking Not required.

Bunding & secondary containment Required if > 1000L is stored. Signage Required if > 1000L is stored.

Location compliance certificate Not required.
Flammable zone Not required.
Fire extinguisher Not required.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.



Product Name: Sinto ST-FF Part B

Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

16. Other Information

Abbreviations

Approval Code Approval HSR002658, Surface Coatings and Colourants (Corrosive) Group Standard

2017 Controls, EPA. www.epa.govt.nz

CAS Number Unique Chemical Abstracts Service Registry Number

Ceiling Exposure Value: The maximum airborne concentration of a biological or chemical

agent to which a worker may be exposed at any time.

Controls MatrixList of default controls linking regulation numbers to Matrix code (e.g. T1, I16). **EC**₅₀
Ecotoxic Concentration 50% − concentration in water which is fatal to 50% of a test

population (e.g. daphnia, fish species)

EPA Environmental Protection Authority (New Zealand)

HAZCHEM Code Emergency action code of numbers and letters that provide information to emergency

services, especially fire fighters

HSNO Hazardous Substances and New Organisms (Act and Regulations)

International Agency for Research on Cancer

LEL Lower Explosive Limit

LD₅₀ Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).

Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population

(usually rats)

MSDS (SDS)

Material Safety Data Sheet (or Safety Data Sheet)

PES Prescribed Exposure Standard means a WES or a biological exposure standard that is

prescribed in a regulation, a safe work instrument or an approval under HSNO (including

group standards).

STEL Short Term Exposure Limit - The maximum airborne concentration of a chemical or

biological agent to which a worker may be exposed in any 15 minute period, provided the

TWA is not exceeded

TWA Time Weighted Average – generally referred to WES averaged over typical work day

(usually 8 hours)

UEL Upper Explosive Limit
UN Number United Nations Number

WES Workplace Exposure Standard - The airborne concentration of a biological or chemical

agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring

using procedures that gather air samples in the worker's breathing zone.

References

EPA notices

Unless otherwise stated comes from the EPA HSNO chemical classification information

database (CCID). www.epa.govt.nz

WES 2016 The NZ Workplace Exposure Standards Effective from 2016, published by WorkSafe NZ

and available on their web site – www.worksafe.govt.nz.

Other References: Suppliers SDS

Review

DateReason for reviewFebruary 2018Not applicable – new SDS

Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely HSNO classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 9 940 30 80.

